



PRODUCT DATA SHEET



PRODUCT NAME/VISCOSITIES: COR 20w50

Product No	7958
Issue No.	2
Issue Date	04/01/17

DESCRIPTION:

COR 20w50 is a high performance synthetic fortified competition engine oil especially developed for short oval racing engines requiring a 20w50 viscosity. It is based on the highest quality performance additives and shear stable viscosity improvers in synthetic and mineral base oils. It is exclusively formulated for short circuit racing and particularly suited to older classic sport applications.

APPLICATION:

Use as received for lubrication of competition engines derived from production engines. Ideally suited for use in competition engines e.g. Rover V8, Ford Kent and Pinto engines in all sectors of motorsport.

USER BENEFITS:

- Provides up to a 26% reduction in friction plus a reduction in wear compared to a standard engine oil
- Cost effective
- Sophisticated performance additive package
- Maximum engine protection
- Minimum power loss
- Synthetic fortified formulation

TYPICAL CHARACTERISTICS:

SAE Viscosity Grade	20w50
Specific Gravity @ 15°C	0.885
Kinematic Viscosity @ 100°C	17.6cSt
Kinematic Viscosity @ 40°C	154cSt
Viscosity Index	126
Pour Point °C	<-15
Flashpoint °C	>200
Cold Crank Viscosity @ -15°C	9,500cP Maximum

HEALTH AND SAFETY:

Health and Safety Data Sheet 7958 applies to this product. When used for the purpose recommended and with due regard to the appropriate Health and Safety Data, the product should cause no concern. If in doubt, consult with Millers Oils Technical Department.