



PRODUCT DATA SHEET



PRODUCT NAME/VISCOSITIES:

LHM PLUS

Product No	5488
Issue No.	2
Issue Date	26/07/10

DESCRIPTION:

This is a green mineral based, hydraulic fluid specially developed for Citroen cars. Miscible in all proportions with LHM and the mineral hydraulic fluids which matched the old Citroen specifications. Immiscible and incompatible with synthetic fluids including brake DOT 3, DOT 4, DOT 5 fluids and former Citroen fluids of LHS type.

USER BENEFITS:

- Exceptionally high viscosity index.
- Very low pour point.
- High stability.
- Excellent lubricating properties.
- High boiling temperature and insensitive to moisture (non-hygroscopic product).
- Very good protection against corrosion.

PERFORMANCE PROFILE:

- Meets PSA Peugeot Citroen specification B71 2710, Ford ESN M6C 59A and ISO 7308

TYPICAL CHARACTERISTICS:

Specific Gravity @ 15°C	0.845
Kinematic Viscosity @ -40°C	1050cSt
Kinematic Viscosity @ 40°C	18cSt
Kinematic Viscosity @ 100°C	6.4cSt
Viscosity index	345
Pour Point °C	max -62
Flashpoint °C	120
4 Ball test wear scar dia	<1.0 mm
Corrosion Test FTMS 5308.6	<0.05 mg/cm ²
Colour	Fluorescent Green

HEALTH AND SAFETY:

Health and Safety Data Sheet 5405 applies to this product. When used for the purpose recommended and with due regard to the appropriate Health and Safety Data, the product should cause no concern. If in doubt, consult with Millers Oils Technical Department.

