



## SAFETY DATA SHEET

TRUCKMASTER 5W30

Page: 1

Compilation date: 23/04/2013

Revision date: 09/11/2020

Revision No: 1c

### Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

**Product name:** TRUCKMASTER 5W30

**Product code:** 7745

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Use of substance / mixture:** Engine oil

#### 1.3. Details of the supplier of the safety data sheet

**Company name:** Millers Oils Ltd  
Hillside Oilworks  
Rastrick Common  
Brighouse  
West Yorkshire  
HD6 3DP  
United Kingdom

**Tel:** +44 (0)1484 713201

**Fax:** +44 (0)1484 721263

**Email:** [h.s@millersoils.co.uk](mailto:h.s@millersoils.co.uk)

#### 1.4. Emergency telephone number

**Emergency tel:** +44 (0)1484 713201

### Section 2: Hazards identification

#### 2.1. Classification of the substance or mixture

**Classification under CLP:** This product has no classification under CLP.

#### 2.2. Label elements

**Label elements:** This product has no label elements.

#### 2.3. Other hazards

**PBT:** This product is not identified as a PBT/vPvB substance.

### Section 3: Composition/information on ingredients

# SAFETY DATA SHEET

TRUCKMASTER 5W30

Page: 2

## 3.2. Mixtures

### Hazardous ingredients:

LUBRICATING OILS (PETROLEUM), C20-50, HYDROTREATED NEUTRAL OIL-BASED; BASEOIL - UNSPECIFIED - REACH registered number(s): 01-2119474889-13-XXXX

EINECS	CAS	PBT / WEL	CLP Classification	Percent
276-738-4	72623-87-1	-	Asp. Tox. 1: H304	30-50%

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC - REACH registered number(s): 01-2119484627-25-XXXX

265-157-1	64742-54-7	-	Asp. Tox. 1: H304	1-10%
-----------	------------	---	-------------------	-------

REACTION MASS OF ISOMERS OF: C7-9-ALKYL 3-(3,5-DI-TRANS-BUTYL-4-HYDROXYPHENYL)PROPIONATE - REACH registered number(s): 01-0000015551-76-XXXX

406-040-9	-	-	Aquatic Chronic 4: H413	1-10%
-----------	---	---	-------------------------	-------

AMINES, POLYETHYLENEPOLY-,REACTION PRODUCTS WITH SUCCINIC ANHYDRIDE POLYISOBUTENYL DERIVS.,BORATED

603-861-6	134758-95-5	-	Aquatic Chronic 4: H413	1-10%
-----------	-------------	---	-------------------------	-------

AMINES, POLYETHYLENEPOLY-,REACTION PRODUCTS WITH 1,3-DIOXOLAN-2-ONE AND SUCCINIC ANHYDRIDE MONOPOLYISOBUTENYL DERIVS.

604-611-9	147880-09-9	-	Aquatic Chronic 4: H413	1-10%
-----------	-------------	---	-------------------------	-------

BIS(NONYLPHENYL)AMINE - REACH registered number(s): 01-2119488911-28-XXXX

253-249-4	36878-20-3	-	Aquatic Chronic 4: H413	1-10%
-----------	------------	---	-------------------------	-------

BENZENESULFONIC ACID, METHYL-, MONO-C20-26-BRANCHED ALKYL DERIVS., CALCIUM SALTS

-	722503-69-7	-	Aquatic Chronic 4: H413	1-10%
---	-------------	---	-------------------------	-------

2,5-FURANDIONE, POLYMER WITH 1-HEXADECENE, 2-METHYLOXIRANE POLYMER WITH OXIRANE BIS(2-AMINOPROPYL) ETHER AND 2-METHYL-1-PROPENE, 4-(PHENYLAMINO)PHENYL

-	873-694-48-5	-	Aquatic Chronic 4: H413; Skin Sens. 1: H317	<1%
---	--------------	---	---	-----

COCONUT OIL, REACTION PRODUCTS WITH BORIC ACID (H3BO3), DIETHANOLAMINE AND GLYCEROL - REACH registered number(s): 01-2120067755-46-000

806-731-9	1428353-74-5	-	Eye Irrit. 2: H319; Aquatic Chronic 2: H411; Skin Sens. 1: H317	<1%
-----------	--------------	---	---	-----

## Section 4: First aid measures

### 4.1. Description of first aid measures

**Skin contact:** Wash immediately with plenty of soap and water. Remove all contaminated clothes and footwear immediately unless stuck to skin.

**Eye contact:** Bathe the eye with running water for 15 minutes.

**Ingestion:** Wash out mouth with water. Do not induce vomiting.

**Inhalation:** Remove casualty from exposure ensuring one's own safety whilst doing so.

[cont...]

# SAFETY DATA SHEET

TRUCKMASTER 5W30

Page: 3

## 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness.

**Ingestion:** There may be irritation of the throat.

**Inhalation:** No symptoms.

## 4.3. Indication of any immediate medical attention and special treatment needed

**Immediate / special treatment:** Eye bathing equipment should be available on the premises.

## Section 5: Fire-fighting measures

### 5.1. Extinguishing media

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers. Carbon dioxide. Alcohol resistant foam. Dry chemical powder.

### 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** In combustion emits toxic fumes.

### 5.3. Advice for fire-fighters

**Advice for fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

## Section 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions:** Refer to section 8 of SDS for personal protection details. Turn leaking containers leak-side up to prevent the escape of liquid.

### 6.2. Environmental precautions

**Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding.

### 6.3. Methods and material for containment and cleaning up

**Clean-up procedures:** Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

### 6.4. Reference to other sections

**Reference to other sections:** Refer to section 8 of SDS.

## Section 7: Handling and storage

### 7.1. Precautions for safe handling

**Handling requirements:** Avoid direct contact with the substance.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage conditions:** Store in a cool, well ventilated area. Keep container tightly closed.

[cont...]

# SAFETY DATA SHEET

TRUCKMASTER 5W30

Page: 4

## 7.3. Specific end use(s)

**Specific end use(s):** No data available.

## Section 8: Exposure controls/personal protection

### 8.1. Control parameters

**Workplace exposure limits:** No data available.

### DNEL/PNEC Values

**Hazardous ingredients:**

#### DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC

Type	Exposure	Value	Population	Effect
DNEL	Inhalation	5.4 mg/m <sup>3</sup>	Workers	Local
DNEL	Inhalation	1.2 mg/m <sup>3</sup>	Consumers	Local

#### BIS(NONYLPHENYL)AMINE

Type	Exposure	Value	Population	Effect
DNEL	Dermal	0.62 mg/kg	Workers	Systemic
DNEL	Inhalation	4.37 mg/3	Workers	Systemic
DNEL	Dermal	0.31 mg/kg	Consumers	Systemic
DNEL	Inhalation	1.09 mg/m <sup>3</sup>	Consumers	Systemic
DNEL	Oral	0.31 mg/kg	Consumers	Systemic
PNEC	Fresh water	0.1 mg/l	-	-
PNEC	Marine water	0.01 mg/l	-	-
PNEC	Fresh water sediments	132000 mg/kg	-	-
PNEC	Marine sediments	13200 mg/kg	-	-
PNEC	Soil (agricultural)	263000 mg/kg	-	-

### 8.2. Exposure controls

**Engineering measures:** Ensure there is sufficient ventilation of the area.

**Respiratory protection:** Respiratory protection not required.

**Hand protection:** Nitrile gloves.

**Eye protection:** Safety glasses. Ensure eye bath is to hand.

**Skin protection:** Protective clothing.

## Section 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

**State:** Liquid

**Evaporation rate:** Negligible

**Oxidising:** Non-oxidising (by EC criteria)

**Solubility in water:** Insoluble

[cont...]

# SAFETY DATA SHEET

TRUCKMASTER 5W30

Page: 5

**Kinematic viscosity:** 70.5 cSt

**Viscosity test method:** Kinematic viscosity in 10<sup>-6</sup> m<sup>2</sup>/s at 40°C (ISO 3104/3105)

**Boiling point/range°C:** No data available.

**Melting point/range°C:** No data available.

**Flammability limits %: lower:** No data available.

**upper:** No data available.

**Flash point°C:** >200

**Part.coeff. n-octanol/water:** No data available.

**Autoflammability°C:** No data available.

**Vapour pressure:** No data available.

**Relative density:** 0.856

**pH:** No data available.

**VOC g/l:** No data available.

## 9.2. Other information

**Other information:** No data available.

## Section 10: Stability and reactivity

### 10.1. Reactivity

**Reactivity:** Stable under recommended transport or storage conditions.

### 10.2. Chemical stability

**Chemical stability:** Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

**Hazardous reactions:** Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

### 10.4. Conditions to avoid

**Conditions to avoid:** Heat.

### 10.5. Incompatible materials

**Materials to avoid:** Strong oxidising agents. Strong acids.

### 10.6. Hazardous decomposition products

**Haz. decomp. products:** In combustion emits toxic fumes.

## Section 11: Toxicological information

### 11.1. Information on toxicological effects

**Hazardous ingredients:**

**LUBRICATING OILS (PETROLEUM), C20-50, HYDROTREATED NEUTRAL OIL-BASED; BASEOIL - UNSPECIFIED**

DERMAL	RBT	LD50	> 2000	mg/kg
ORAL	RAT	LD50	> 5000	mg/kg

**Toxicity values:** No data available.

### Symptoms / routes of exposure

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness.

[cont...]

# SAFETY DATA SHEET

TRUCKMASTER 5W30

Page: 6

**Ingestion:** There may be irritation of the throat.

**Inhalation:** No symptoms.

## Section 12: Ecological information

### 12.1. Toxicity

**Ecotoxicity values:** No data available.

### 12.2. Persistence and degradability

**Persistence and degradability:** No data available.

### 12.3. Bioaccumulative potential

**Bioaccumulative potential:** No data available.

### 12.4. Mobility in soil

**Mobility:** No data available.

### 12.5. Results of PBT and vPvB assessment

**PBT identification:** This product is not identified as a PBT/vPvB substance.

### 12.6. Other adverse effects

**Other adverse effects:** No data available.

## Section 13: Disposal considerations

### 13.1. Waste treatment methods

**Disposal operations:** Transfer to a suitable container and arrange for collection by specialised disposal company.

**Disposal of packaging:** Arrange for collection by specialised disposal company.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

## Section 14: Transport information

**Transport class:** This product does not require a classification for transport.

## Section 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**Specific regulations:** Not applicable.

### 15.2. Chemical Safety Assessment

**Chemical safety assessment:** A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

## Section 16: Other information

[cont...]

# SAFETY DATA SHEET

TRUCKMASTER 5W30

Page: 7

## Other information

**Other information:** This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830.

**Phrases used in s.2 and s.3:** H304: May be fatal if swallowed and enters airways.

H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

H411: Toxic to aquatic life with long lasting effects.

H413: May cause long lasting harmful effects to aquatic life.

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

