



TRIDENT PROFESSIONAL

TAKING THE GUESSWORK
OUT OF CHOOSING THE
RIGHT OIL

TRIDENT PROFESSIONAL

Guaranteeing your customer receives the correct oil for their vehicle can result in you, the professional garage owner or mechanic having to select from a daunting array of products. On top of the worry of having cash tied up in extensive stock and the fear of misapplication, stocking and selecting oil can become extremely frustrating.

NOT SO WITH TRIDENT PROFESSIONAL

- TRIDENT PROFESSIONAL is a bespoke range of multi-application engine oils giving unrivalled vehicle parc coverage. Ideal for the modern day, high volume workshop!
- Developed for the trade, TRIDENT PROFESSIONAL surpasses manufacturer standards in the four key dimensions of fuel economy, emission reduction, enhanced performance and wear protection.

- Formulated for use in hybrid, petrol or diesel engines.
- Millers Oils stop start technology delivers instant protection under hot or cold conditions.



PRODUCT CODE	PRODUCT NAME	OIL TYPE	SAPS LEVEL	SUITABLE APPLICATIONS														
				INDUSTRY BODY			MANUFACTURER											OTHER
				ACEA	API	ILSAC	BMW	CHRYSLER	FIAT	FORD & JLR (JAGUAR LAND ROVER)	GENERAL MOTORS	MERCEDES-BENZ	OPEL/VAUXHALL	PSA	RENAULT	VOLVO	VW & PORSCHE	
8430	TRIDENT PROFESSIONAL 0w20	Fully Synthetic	-	-	SP RC, SP, SN PLUS RC, SN PLUS, SN RC, SN	GF-6A GF-5	-	MS-6395	9.55535-CR1	WSS-M2C962-A1 WSS-M2C947-B1 WSS-M2C947-A	GM dexos 1 Gen 3 GM dexos 1 Gen 2 GM dexos 1 Gen 1	-	-	-	-	-	-	Asian manufacturers
8173	TRIDENT PROFESSIONAL C5 5w20	Fully Synthetic	Mid SAPS	C5 A1/B1	SN RC SN	GF-5 GF-4	-	MS-6395	9.55535-CR1	WSS-M2C948-B WSS-M2C948-A WSS-M2C945-A WSS-M2C925-B WSS-M2C925-A STJLR.03.5004	-	-	-	-	-	-	-	Asian manufacturers
8146	TRIDENT PROFESSIONAL C1 5w30	Fully Synthetic	Low SAPS	C1	-	-	-	-	-	WSS-M2C934-B STJLR.03.5005	-	-	-	-	-	-	-	JASO DL-1 Asian manufacturers
8123	TRIDENT PROFESSIONAL C2/C3 5w30	Fully Synthetic	Mid SAPS	C2 C3	SN	-	Longlife-04 (LL-04)	MS-11106	9.55535-S3	-	GM dexos 2	MB 229.52 MB 229.51 MB 229.31 MB 226.5	OV0401547-G30 OV0401547-D30	B71-2290 <2017	RN0700	-	VW 502 00 / 505 00	Asian manufacturers
5999	TRIDENT PROFESSIONAL C3 5w30	Fully Synthetic	Mid SAPS	C3	SN	-	Longlife-04 (LL-04)	MS-11106	9.55535-S3	-	GM dexos 2*	MB 229.51 MB 229.31	OV0401547-G30* OV0401547-D30*	B71-2290 <2017	-	-	Porsche C30 VW 504 00 / 507 00 VW 506 00 / 506 01 VW 503 00 / 503 01 VW 502 00 / 505 01	Asian manufacturers
8147	TRIDENT PROFESSIONAL C4 5w30	Fully Synthetic	Low SAPS	C4	-	-	-	MS-11106	9.55535-S4	-	-	MB 229.51 MB 229.31 MB 226.51	-	-	RN0720	-	-	Asian manufacturers
8058	TRIDENT PROFESSIONAL ECO 5w30	Fully Synthetic	Full SAPS	A5/B5 A1/B1	SL	GF-4 GF-3	-	MS-6395	-	WSS-M2C913-D WSS-M2C913-C STJLR.03.5003	-	-	-	-	RN0700	VCC 95200377**	-	Asian manufacturers
5995	TRIDENT PROFESSIONAL 5w30	Synthetic Based	Full SAPS	A3/B4 A3/B3	SL	GF-2	Longlife-01 (LL-01) Longlife-98 (LL-98)	-	-	WSS-M2C913-B WSS-M2C913-A	-	MB 229.5 MB 229.3 MB 229.1 MB 226.5	-	-	RN0700	-	VW 502 00 / 505 00	Asian manufacturers
6124	TRIDENT PROFESSIONAL C3 5w40	Fully Synthetic	Mid SAPS	C3	SN	-	Longlife-04 (LL-04)	MS-12991 MS-10896 MS-10725	9.55535-GH2 9.55535-T2 9.55535-S2	WSS-M2C917-A	GM dexos 2	MB 229.51 MB 229.31 MB 226.5	-	-	RN0710 RN0700	-	Porsche C40 Porsche A40 VW 511 00 VW 502 00 / 505 01	Asian manufacturers
7625	TRIDENT PROFESSIONAL 5w40	Fully Synthetic	Full SAPS	A3/B4 A3/B3	SN CF	-	Longlife-01 (LL-01) Longlife-98 (LL-98)	MS-12991 MS-10896 MS-10725	9.55535-Z2 9.55535-N2 9.55535-M2 9.55535-H2	-	GM-LL-B-025 GM-LL-A-025	MB 229.5 MB 229.3 MB 229.1 MB 226.5 AMG	-	B71-2296 B71-2293	RN0710 RN0700	-	Porsche A40 VW 502 00 / 505 00 VW 500 00 / 501 01	Asian manufacturers
5991	TRIDENT PROFESSIONAL 10w40	Synthetic Based	Full SAPS	A3/B4 A3/B3	SN CF	-	-	-	9.55535-G2	-	-	MB 229.3 MB 229.1 MB 226.5	-	B71-2300 B71-2295 B71-2294	RN0700	-	VW 502 00 / 505 00 VW 500 00 / 501 01	Land Rover MTF-94 Gear Oil Specification Asian manufacturers

* Millers Oils underwrites this product for GM dexos 2 & Opel/ Vauxhall OV0401547-G30/D30 applications

** Volvo VCC 95200377 - suitable for use where a 0w30 viscosity is required with the exception of potential fuel economy benefits

• Although this specification chart is a guide for Millers Oils products, care should be taken to ensure the correct product is used as per the vehicle requirement
• All products available in 1L, 5L, 20L, 40L, 199L, 1000L & Bulk
• Asian manufacturers - Including but not limited to Acura, Daihatsu, Honda, Hyundai, Infiniti, Isuzu, Kia, Lexus, Mazda, Mitsubishi, Nissan, Subaru, Suzuki, Toyota.

• BMW Inc. Mini, Rolls Royce
• Chrysler Inc. Dodge, Jeep, Ram
• Fiat Inc. Abarth, Alfa Romeo, Ferrari, Lancia, Maserati
• General Motors Inc. Buick, Cadillac, Chevrolet, GMC (Opel, Vauxhall pre-2017)

• PSA (Peugeot Societe Anonyme) Inc. Peugeot, Citroen, DS. PSA bought Opel/ Vauxhall in 2017; any Opel/ Vauxhall vehicle manufactured before or after this point may need a PSA specification
• VW Inc. Audi, Seat, Skoda, Bentley, Lamborghini, Bugatti.

WHICHOIL?

The popular Millers Oils 'WHICHOIL?' guide can be found on our website. We want to make sure that people know WHICHOIL? is the correct oil to use and the oil selector makes that very easy. Users can find out WHICHOIL? they need by either entering their registration number or selecting the make and model.

To use our WhichOil? guide visit:
www.millersoils.co.uk/which-oil

TECHNICAL SUPPORT AT MILLERS OILS

Millers Oils technical support comprises of a team of expert chemists and engineers who will endeavour to help any queries that customers or the general public may have. This involves the technical support service and the laboratory who provide technical support for Automotive, Classic, Motorsport, Motorcycle, Scooter & ATV, Commercial Vehicle, Agricultural and Industrial sectors as well as general troubleshooting and technical enquiries.

Millers Oils Head Office

Millers Oils Ltd
Brighouse, West Yorkshire,
HD6 3DP, UK
T: +44 (0) 1484 713201
F: +44 (0) 1484 721263
E: sales@millersoils.co.uk
E: international@millersoils.co.uk

www.millersoils.co.uk



MillersOilsLtd

All products and information are reflective of the latest specifications at the time of going to print. The company reserves the right to change formulations and specifications without prior notice. Product images are shown for illustration purposes only.

REF/Trident/FEB2024

Millers Oils Scotland

T: +44 (0) 1236 280107
E: glasgow@millersoils.co.uk

Technical Support

T: 01484 475060
E: technical@millersoils.co.uk

For H&S info or SDS, please visit our website

What is OEM (Original Equipment Manufactured) supplied oil?

- OEM refers to something made specifically for the original product, while aftermarket refers to equipment made by another company that meets the standards set by the manufacturer.

Does the servicing have to be done at the manufacturer's network to keep the warranty intact?

- No, as long as the independent garage performs the servicing to the same standard as the manufacturer.

I don't want to invalidate my vehicle's warranty by using the incorrect oil; do I have to use OEM oil only?

- No, as long as the oil meets the manufacturer's specifications and requirements. The Millers Oils Trident Professional automotive engine oil range does this.

MADE IN BRITAIN

