



MILLERS OILS



EE PERFORMANCE

***NANO*DRIVE ESTER**

Track Day Ready

CONTENTS

About Millers Oils	3
EE Performance	4
Passenger Car Fluid & Lubricant Applications	6
EE Performance Engine Oil Range	8
EE Performance Driveline Range	12
EE Performance Specification Chart	14

ABOUT MILLERS OILS

Millers Oils is a leading manufacturer and independent blender of oils and lubricants, operating since 1887 in Brighouse, West Yorkshire.

We pride ourselves on our award-winning innovation and our independence which allows maximum flexibility to meet our customers' needs.

At Millers Oils, we understand that selecting the right lubricants is crucial for your vehicle's performance and longevity. That's why we've developed three distinct ranges — Trident Professional, XF Premium and EE Performance — each tailored to meet specific needs and applications.

EE Performance: For enthusiasts and drivers seeking maximum engine performance, EE Performance is our "track day ready" fully synthetic engine and driveline range suitable for on-road use. Incorporating award-winning NANODRIVE low friction technology and ester chemistry, EE Performance engine oils significantly reduce friction by up to 24% compared to industry-standard formulations, while providing exceptional wear protection. Perfect for customers with high-performance vehicles and those looking to enhance fuel economy and reduce emissions.

XF Premium: This range of fully synthetic engine oils and driveline fluids is engineered for modern passenger cars, meeting and often exceeding the latest OEM specifications. Utilising our unique Dynamic Fluid Technology (DFT), XF Premium provides enhanced protection, improved fuel economy, and reduced engine wear. Ideal for independent specialists and workshops, this range ensures that vehicles operate at peak efficiency.

Trident Professional: Designed for high-volume workshops and garages, this versatile range offers multi-application engine and driveline lubricants that cover a wide array of vehicle specifications. Formulated for use in petrol/gasoline, diesel and hybrid engines, Trident Professional ensures compatibility across numerous manufacturers. It's the practical choice for professionals seeking reliable performance and extensive vehicle parc coverage.



EE PERFORMANCE


Maximise Power, Minimise Wear.

The EE Performance range is designed for high-performance enthusiasts who drive daily but live for track days. Featuring Millers Oils award-winning, low friction NANODRIVE technology and ester chemistry, this “track day ready” formulation delivers exceptional engine protection and performance, while meeting manufacturers’ specifications and recommended oil drain intervals.



Low Friction Technology

Originally developed for professional motorsport applications, NANODRIVE is Millers Oils award-winning low-friction technology that incorporates advanced nanoparticles to greatly reduce friction, protect against wear and maximise power. Compared to industry standard formulations, the EE Performance range reduces friction by up to 24%, as shown in the graph below.



PASSENGER CAR FLUID AND LUBRICANT APPLICATIONS

Millers Oils prides itself on supplying a comprehensive range of oils, fluids and treatments for all vehicles.

ENGINE OIL

Track Day Ready

- EE Performance
- Featuring NANODRIVE low friction technology
- Fully Synthetic Ester oil
- Available in a range of viscosities from 0w20 – 10w60

ANTIFREEZE & COOLANT

A range of Monoethylene Glycol (MEG) products formulated with different chemistry types designed to be compatible with the materials in the cooling system.

MEG Si-OAT

- Alpine Lilac Concentrate
- Alpine Lilac Ready Mixed

MEG OAT

- Alpine Red Concentrate
- Alpine Red Ready Mixed
- Alpine Yellow Concentrate
- Alpine Yellow Ready Mixed

MEG IAT

- Alpine Blue Concentrate
- Alpine Blue Ready Mixed

HYDRAULIC & STEERING SYSTEM

Hydraulic System

- Central Hydraulic Fluid (CHF)
- LHM Plus

Power Steering System

- Power Steering Fluid (PSF)

GREASE

General Grease

- Delta 2EP

Wheel Bearings

- Deltaplex 2EP

Anti-Seize

- Millergrease NS Copper

CV Joints

- Hi-Mol 20

Spline Shafts

- Black Moly MM2

Brake System

- Red Rubber Grease

TREATMENTS

Fuel

- Petrol
- Petrol Power ECOMAX
- Petrol Injector Cleaner

Diesel

- Diesel Power ECOMAX
- Diesel Injector Cleaner
- DPF Regenerator

Oil

- Engine Flush
- Driveline Flush
- Stop Leak

DRIVELINE OIL

Gear Oil /Manual Transmission Fluid (MTF)

- EE Performance MTF
- 75w, 75w80, 75w85, 75w90

BRAKING SYSTEM

- ESP Brake Fluid DOT 4 LV
- Universal Brake Fluid DOT 4

EE PERFORMANCE ENGINE OIL RANGE

The EE Performance engine oil range is built for optimal efficiency, delivering outstanding fuel-saving benefits without compromising engine protection. These advanced lubricants are developed to reduce friction, minimise emissions, and meet the latest manufacturer specifications for next-generation vehicles. Whether on the road or the track, EE Performance engine oils are engineered to perform, offering robust protection and stability for high-performance vehicles, including those used in track day environments.



C5/C6 0w20 - 8611

Fully synthetic | Mid SAPS | For use in petrol/gasoline, diesel and hybrid engines.
Available in: 1L | 5L | 20L | 60L | 199L | IBC

Recommended For:

ACEA C5, C6
API SQ, SP, SP RC, SN PLUS, SN PLUS RC, SN
BMW/MINI Longlife-17 FE+ (LL-17 FE+),
BMW/MINI Longlife-14 FE+ (LL-14 FE+)
Chrysler MS-12145
Fiat 9.55535-GSX
Ford WSS-M2C947-B1, Ford WSS-M2C954-A1,
Ford WSS-M2C962-A1

ILSAC GF-7A, GF-6A, GF-5
Jaguar Land Rover STJLR.03.5006
MB 229.72, MB 229.71
Opel/Vauxhall OV0401547-A20
Volvo VCC RBS0-2AE
Asian manufacturers



C5 V 0w20 - 8596

Fully synthetic | Mid SAPS | For use in petrol/gasoline, diesel and hybrid engines.
Available in: 1L | 5L | 20L | 60L | 199L | IBC

Recommended For:

ACEA C5
Porsche C20
VW 508 00 / 509 00
Volkswagen Audi Group including Bentley, Cupra,
Seat & Skoda Asian manufacturers



0w20 - 8206

Fully synthetic | For use in petrol/gasoline and hybrid engines.
Available in: 1L | 5L | 20L | 60L | 199L | IBC

Recommended For:

API SP, SP RC, SN PLUS RC, SN PLUS, SN RC, SN
Chrysler MS-6395
Fiat 9.55535-CR1
Ford WSS-M2C962-A1
WSS-M2C947-B1, WSS-M2C947-A
GM dexos 1 Gen 3, dexos 1 Gen 2, dexos 1 Gen 1
ILSAC GF-6A, GF-5
Asian Manufacturers



C2 ECO 0w30 - 8610

Fully synthetic | Mid SAPS | For use in petrol/gasoline, diesel and hybrid engines.
Available in: 1L | 5L | 20L | 60L | 199L | IBC

Recommended For:

ACEA C2
API SN
Ford WSS-M2C950-A
Jaguar Land Rover STJLR.03.5007
Asian manufacturers



C3 0w30 - 8597

Fully synthetic | Mid SAPS | For use in petrol/gasoline, diesel and hybrid engines.
Available in: 1L | 5L | 20L | 60L | 199L | IBC

Recommended For:

ACEA C3, API SN
BMW/MINI Longlife-04 (LL-04)
MB 229.52, MB 229.51, MB 229.31
Porsche C30
VW 504 00 / 507 00, VW 506 00 / 506 01,
VW 503 00 / 503 01, VW 502 00 / 505 01
Volkswagen Audi Group including Cupra,
Lamborghini, Seat & Skoda
Asian manufacturers



0w30 - 8207

Fully synthetic | Full SAPS | For use in petrol/gasoline, diesel and hybrid engines.
Available in: 1L | 5L | 20L | 60L | 199L | IBC

Recommended For:

ACEA A5/B5, ACEA A1/B1
Volvo VCC 95200377
Asian manufacturers



C5 ECO 5w20 - 8612

Fully synthetic | Mid SAPS | For use in petrol/gasoline, diesel and hybrid engines.
Available in: 1L | 5L | 20L | 60L | 199L | IBC

Recommended For:

ACEA C5
API SN RC, SN
Chrysler MS-6395
Fiat 9.55535-CR1
Ford WSS-M2C948-B, Ford WSS-M2C948-A,
Ford WSS-M2C945-A, Ford WSS-M2C925-B
ILSAC GF-5, GF-4
Jaguar Land Rover STJLR.03.5004
Asian manufacturers



C2/C3 5w30 - 8609

Fully synthetic | Mid SAPS | For use in petrol/gasoline, diesel and hybrid engines.
Available in: 1L | 5L | 20L | 60L | 199L | IBC

Recommended For:

ACEA C2, C3
API SN
BMW/MINI Longlife-04 (LL-04)
Chrysler MS-11106
Fiat 9.55535-S3
GM dexos 2
MB 229.51, MB 229.31, MB 226.5
Opel/Vauxhall OV0401547-G30, OV0401547-D30

PSA B71-2290 <2017
Renault RN0700 / 0710
VW 502 00 / 505 00
Asian manufacturers



C3 5w30 - 7877

Fully synthetic | Mid SAPS | For use in petrol/gasoline, diesel and hybrid engines.
Available in: 1L | 5L | 20L | 60L | 199L | IBC

Recommended For:


ACEA C3
API SN
BMW/MINI Longlife-04 (LL-04)
Chrysler MS-11106
Fiat 9.55535-S3
MB 229.51, MB 229.31
Porsche C30
VW 504 00 / 507 00, VW 502 00 / 505 01

Volkswagen Audi Group including Bentley, Cupra,
Lamborghini, MAN, Seat and Skoda
Asian manufacturers
Millers Oils underwrites this product for use in
GM dexos 2 & Opel/Vauxhall OV0401547-G30,
OV0401547-D30 applications

Asian manufacturers - including but not limited to, Honda, Hyundai, Infinity, Kia, Lexus, Nissan, Suzuki and Toyota.
SAPS - Sulphated, Ash, Phosphorus, Sulphur.

Asian manufacturers - including but not limited to, Honda, Hyundai, Infinity, Kia, Lexus, Nissan, Suzuki and Toyota.
SAPS - Sulphated, Ash, Phosphorus, Sulphur.


EE PERFORMANCE ENGINE OIL RANGE



ECO 5w30 - 7706

Fully synthetic | Full SAPS | For use in petrol/gasoline, diesel and hybrid engines.
Available in: 1L | 5L | 20L | 60L | 199L | IBC


Recommended For: ACEA A5/B5, ACEA A1/B1 API SL, CF Chrysler MS-6395 Ford WSS-M2C913-D, Ford WSS-M2C913-C ILSAC GF-4 Jaguar Land Rover STJLR.03.5003 Renault RN0700 Dacia	Renault Sport Asian manufacturers



C3 5w40 - 7806

Fully synthetic | Mid SAPS | For use in petrol/gasoline, diesel and hybrid engines.
Available in: 1L | 5L | 20L | 60L | 199L | IBC


Recommended For: ACEA C3 API SN BMW/MINI Longlife-04 (LL-04) Fiat 9.55535-GH2, 9.55535-S2, 9.55535-T2 Ford WSS-M2C917-A GM dexos 2 MB 229.51, MB 229.31, MB 226.5 Porsche C40, A40 RN0700, RN0710	VW 502 00 / 505 01 Asian manufacturers



5w40 - 8208

Fully synthetic | Full SAPS | For use in petrol/gasoline, diesel and hybrid engines.
Available in: 1L | 5L | 20L | 60L | 199L | IBC


Recommended For: ACEA A3/B4 API SN BMW/MINI Longlife-01 (LL-01) Chrysler MS-10725 Fiat 9.55535-Z2, 9.55535-N2 GM-LL-B-025, GM-LL-A-025 MB 229.5, MB 229.3, MB 226.5 PSA B71-2296	Renault RN0710, RN0700 Porsche A40 VW 502 00 / 505 00 AMG, Aston Martin, Ferrari, Lamborghini, Maserati, Nissan, Renault, Saab Asian manufacturers



5w50 - 8209

Fully synthetic | Full SAPS | For use in petrol/gasoline and diesel engines.
Available in: 1L | 5L | 20L | 60L | 199L | IBC

Recommended For: ACEA A3/B4 API SN, SM, SL Ford WSS-M2C931-C MB 229.3, MB 229.1 Porsche A40 Alpina, AMG, Aston Martin, Caterham Cosworth, Ferrari, Lotus, Renault, TVR Asian manufacturers	




10w40 - 7708

Fully synthetic | Full SAPS | For use in petrol/gasoline, diesel and hybrid engines.
Available in: 1L | 5L | 20L | 60L | 199L | IBC

Recommended For: ACEA A3/B4 API SN, SM, SL Fiat 9.55535-G2 MB 229.3, MB 229.1, MB 226.5 PSA B71-2300 <2017, PSA B71-2295, PSA B71-2294 Renault RN0700 / RN0710 VW 502 00 / 505 00, VW 500 00 / 501 01	Alfa Romeo, AMG, Jaguar, Land Rover, Subaru Asian manufacturers


Asian manufacturers - including but not limited to, Honda, Hyundai, Infinity, Kia, Lexus, Nissan, Suzuki and Toyota.
SAPS - Sulphated, Ash, Phosphorus, Sulphur.



10w50 - 8211

Fully synthetic | Full SAPS | For use in petrol/gasoline and diesel engines.
Available in: 1L | 5L | 20L | 60L | 199L | IBC

Recommended For: ACEA A3/B4 API SN Abarth, Aston Martin, BMW, Land Rover Lotus, MG, Opel/Vauxhall, Renault, Saab Volkswagen Audi Group inc. Seat, Skoda & Porsche Asian Manufacturers	



10w60 - 8210

Fully synthetic | Full SAPS | For use in petrol/gasoline and diesel engines.
Available in: 1L | 5L | 20L | 60L | 199L | IBC

Recommended For: ACEA A3/B4 API SN Fiat 9.55535-H3 Alfa Romeo, Alpina, AMG, Abarth, Aston Martin, BMW M-Models, Cosworth, Ferrari, Lancia, Lotus, Maserati, Porsche, TVR Asian Manufacturers	

Asian manufacturers - including but not limited to, Honda, Hyundai, Infinity, Kia, Lexus, Nissan, Suzuki and Toyota.
SAPS - Sulphated, Ash, Phosphorus, Sulphur.

EE PERFORMANCE DRIVELINE RANGE

EE Performance driveline oils are specifically formulated to complement fuel-efficient drivetrains, with reduced friction and enhanced durability for long service life. Whether in manual gearboxes or axle systems, these oils maintain peak driveline performance while supporting sustainability goals.



MTF 75w - 8327

Fully synthetic | With ester technology for use in manual gearboxes.
Available in: 1L | 5L | 20L | 60L | 199L | IBC

Suitable For:

API GL-4	TL 525 12 P/N G 052 512, TL 521 78 P/N G 052 178
BMW MTF LT-3, P/N 83 22 0 397 244	Porsche P/N 000.043.301.36
Fiat 9.55550-MZ6, 9.55550-MZ2	BOT 350 M3, BOT 303
Ford M2C200-E1, M2C200-D3	TF 0870
General Motors GM 19259104/19259105, 1940004	Tranself NFX
Nissan P/N 999MP-TF0870P	
PSA B71 2316, P/N 9730.A8, P/N 1618078480	
VW TL 726 P/N G 055 726, TL 726 P/N G 052 726	
TL 525 27 P/N G 052 527, P/N G 055 512,	



MTF 75w80 - 8326

Fully synthetic | With ester technology for use in manual gearboxes.
Available in: 1L | 5L | 20L | 60L | 199L | IBC

Suitable For:

API GL-4 , GL-5	PSA B71 2330, P/N 9730.A2
BMW MTF LT-2, P/N 83 22 0 309 031	Volvo 1161681, 97309, 97308
Fiat 9.55550-MZ12, 9.55550-MZ10	EZL-848
Ford M2C200-C3	Tranself NFJ, NFP, TRJ, TRP, TRT, TRX, TRZ
General Motors GM 1940768	
Honda MTF-III, MTF-II, MTF	
Land Rover/Rover/Mini MTF 94	
Nissan MT-XZ	
Subaru P/N 50A748V0100	



MTF 75w85 - 8324

Fully synthetic | With ester technology for use in manual gearboxes, transfer cases and differentials.
Available in: 1L | 5L | 20L | 60L | 199L | IBC

Suitable For:

API GL-4, GL-5
Fiat 9.55550-MX3, 9.55550-MZ3, 9.55550-MZ1
Ford P/N 8U7J-7J106-AA
General Motors GM 1940182, B 040 2071
Mercedes-Benz MB 235.7
Suzuki P/N 99000-22B65-045
BOT 402



MTF 75w90 - 8325

Fully synthetic | With ester technology for use in manual gearboxes, transfer cases and differentials.
Available in: 1L | 5L | 20L | 60L | 199L | IBC

Suitable For:

API GL-4, GL-5	Volvo 97309
BMW MTF LT-4, OSP	VW G51, G50
Fiat 9.55550-MZ11, 9.55550-DA7	P/N G 005 000, TL 529 11 P/N G 052 911,
Ford M2C203-A1, M2C201-A, M2C200-C	TL 521 45 P/N G 052 145, TL 501 50 P/N G 050 150
General Motors GM 89021677/89021678,	Porsche P/N 999.917.546.00, P/N 999.917.067.00,
GM 1940757, GM 19351882/19351883,	P/N 000.043.204.20, P/N 000.043.204.19
GM 9986285	BOT 130, 328
Jaguar XH-21	
Mercedes-Benz MB 235.8, 235.72, 235.0	

Asian manufacturers - including but not limited to, Honda, Hyundai, Infinity, Kia, Lexus, Nissan, Suzuki and Toyota.
SAPS - Sulphated, Ash, Phosphorus, Sulphur.



MILLERS OILS

Extraordinary Performance. Every Day.



EE PERFORMANCE ENGINE OIL RANGE

PRODUCT CODE	PRODUCT NAME	OIL TYPE	SAPS LEVEL	SUITABLE APPLICATIONS														
				INDUSTRY BODY			MANUFACTURER											OTHER
				ACEA	API	ILSAC	BMW/MINI	CHRYSLER	FIAT	FORD/JLR (JAGUAR LAND ROVER)	GENERAL MOTORS	MERCEDES-BENZ	OPEL/VAUXHALL	PSA	RENAULT	VOLVO	VWAG/PORSCHE (VW AUDI GROUP)	
8611	EE Performance C5/C6 0w20	Fully Synthetic	Mid SAPS	C5 C6	SQ, SP SP RC, SN PLUS SN PLUS RC, SN	GF-7A GF-6A GF-5	Longlife-17 FE+ (LL-17 FE+) Longlife-14 FE+ (LL-14 FE+)	MS-12145	9.55535- GSX	WSS-M2C947-B1 WSS-M2C954-A1 WSS-M2C962-A1 STJLR.03.5006	-	MB 229.72 MB 229.71	OV0401547-A20	-	-	VCC RBS0-2AE	-	Asian manufacturers
8596	EE Performance C5 V 0w20	Fully Synthetic	Mid SAPS	C5	-	-	-	-	-	-	-	-	-	-	-	-	Porsche C20 VW 508 00 / 509 00	Asian manufacturers
8206	EE Performance 0w20	Fully Synthetic	-	-	SP RC, SP SN PLUS RC SN PLUS, SN RC, SN	GF-6A GF-5	-	MS-6395	9.55535- CR1	WSS-M2C962-A1 WSS-M2C947-B1 WSS-M2C947-A	GM dexos 1 Gen 3 GM dexos 1 Gen 2 GM dexos 1 Gen 1	-	-	-	-	-	-	Asian manufacturers
8610	EE Performance C2 ECO 0w30	Fully Synthetic	Mid SAPS	C2	SN	-	-	-	-	WSS-M2C950-A STJLR.03.5007	-	-	-	-	-	-	-	Asian manufacturers
8597	EE Performance C3 0w30	Fully Synthetic	Mid SAPS	C3	SN	-	Longlife-04 (LL-04)	-	-	-	-	MB 229.52 MB 229.51 MB 229.31	-	-	-	-	Porsche C30 VW 504 00 / 507 00 VW 506 00 / 506 01 VW 503 00 / 503 01 VW 502 00 / 505 01	Asian manufacturers
8207	EE Performance 0w30	Fully Synthetic	Full SAPS	A5/B5 A1/B1	SL	GF-4 GF-3	-	-	-	-	-	-	-	-	-	VCC 95200377	-	Asian manufacturers
8612	EE Performance C5 ECO 5w20	Fully Synthetic	Mid SAPS	C5	SN RC SN	GF-5 GF-4	-	MS-6395	9.55535- CR1	WSS-M2C948-B WSS-M2C948-A WSS-M2C945-A WSS-M2C925-B STJLR.03.5004	-	-	-	-	-	-	-	Asian manufacturers
8609	EE Performance C2/C3 5w30	Fully Synthetic	Mid SAPS	C2 C3	SN	-	Longlife-04 (LL-04)	MS-11106	9.55535-S3	-	GM dexos 2	MB 229.52 MB 229.51 MB 229.31 MB 226.5	OV0401547-G30 OV0401547-D30	B71-2290 <2017	RN0700 RN0710	-	VW 502 00 / 505 00	Asian manufacturers
7877	EE Performance C3 5w30	Fully Synthetic	Mid SAPS	C3	SN	-	Longlife-04 (LL-04)	MS-11106	9.55535-S3	-	GM dexos 2*	MB 229.51 MB 229.31	OV0401547-G30* OV0401547-D30*	-	-	-	Porsche C30 VW 504 00 / 507 00 VW 502 00 / 505 01	Asian manufacturers
7706	EE Performance ECO 5w30	Fully Synthetic	Full SAPS	A5/B5 A1/B1	SL	GF-4	-	MS-6395	-	WSS-M2C913-D WSS-M2C913-C STJLR.03.5003	-	-	-	-	RN0700	-	-	Dacia Renault Sport Asian manufacturers

- * Millers Oils underwrites this product for GM dexos 2 & Opel/Vauxhall OV0401547-G30/D30 applications

• Although this specification chart is a guide for Millers Oils products, care should be taken to ensure the correct product is used as per the vehicle requirement

• All products available in 1L, 5L, 20L, 60L, 199L, 1000L & Bulk

• Asian manufacturers – Including but not limited to Acura, Daihatsu, Honda, Hyundai, Infiniti, Isuzu, Kia, Lexus, Mazda, Mitsubishi, Nissan, Subaru, Suzuki, Toyota

• BMW Group Inc. BMW, MINI & Rolls Royce
- General Motors Inc. Buick, Cadillac, Chevrolet, GMC (Opel, Vauxhall pre-2017)

• VWAG Inc. Audi, Bentley, Bugatti, Cupra, Lamborghini, MAN, Porsche, Seat, Skoda & Volkswagen

• Stellantis Inc. Peugeot Societe Anonyme (PSA Group) & Fiat Chrysler Automobiles (FCA)
PSA Group Inc. Peugeot, Citroen, DS Automobiles, Opel & Vauxhall
FCA Inc. Abarth, Alfa Romeo, Chrysler, Dodge, Fiat, Jeep, Lancia, Maserati, Mopar, Ram & SRT
PSA bought Opel/ Vauxhall in 2017; any Opel/ Vauxhall vehicle manufactured before or after this point may need a PSA specification

FOR PRODUCT SPECIFICATION INFO & TECHNICAL
HELP **PLEASE CALL US ON +44 (0) 1484 475060**

EE PERFORMANCE ENGINE OIL RANGE

PRODUCT CODE	PRODUCT NAME	OIL TYPE	SAPS LEVEL	SUITABLE APPLICATIONS															OTHER
				INDUSTRY BODY			MANUFACTURER												
				ACEA	API	ILSAC	BMW/MINI	CHRYSLER	FIAT	FORD/JLR (JAGUAR LAND ROVER)	GENERAL MOTORS	MERCEDES-BENZ	OPEL/VAUXHALL	PSA	RENAULT	VOLVO	VWAG/PORSCHE (VW AUDI GROUP)		
7806	EE Performance C3 5w40	Fully Synthetic	Mid SAPS	C3	SN	-	Longlife-04 (LL-04)	-	9.55535-GH2 9.55535-S2 9.55535-T2	WSS-M2C917-A	GM dexos 2	MB 229.51 MB 229.31 MB 226.5	-	-	RN0710 RN0700	-	Porsche A40 Porsche C40 VW 502 00 / 505 01	Asian manufacturers	
8208	EE Performance 5w40	Fully Synthetic	Full SAPS	A3/B4	SN	-	Longlife-01 (LL-01)	MS-10725	9.55535-Z2 9.55535-N2	-	GM-LL-B-025 GM-LL-A-025	MB 229.5 MB 229.3 MB 226.5 AMG	-	B71-2296	RN0710 RN0700	-	Porsche A40 VW 502 00 / 505 00	AMG Aston Martin Asian manufacturers	
8209	EE Performance 5w50	Fully Synthetic	Full SAPS	A3/B4	SN SM SL	-	-	-	-	WSS-M2C931-C	-	MB 229.3 MB 229.1	-	-	-	-	Porsche A40	Caterham, Cosworth Asian manufacturers	
7708	EE Performance 10w40	Fully Synthetic	Full SAPS	A3/B4	SN SM SL	-	-	-	9.55535-G2	-	-	MB 229.3 MB 229.1 MB 226.5	-	B71-2300 B71-2295 B71-2294	RN0710 RN0700	-	VW 502 00 / 505 00 VW 500 00 / 501 01	Asian manufacturers	
8211	EE Performance 10w50	Fully Synthetic	Full SAPS	A3/B4	SN	-	-	-	-	-	-	-	-	-	-	-	-	Asian manufacturers	
8210	EE Performance 10w60	Fully Synthetic	Full SAPS	A3/B4	SN	-	BMW M	-	9.55535-H3	-	-	-	-	-	-	-	-	Asian manufacturers	

* Millers Oils underwrites this product for GM dexos 2 & Opel/Vauxhall OV0401547-G30/D30 applications

• Although this specification chart is a guide for Millers Oils products, care should be taken to ensure the correct product is used as per the vehicle requirement

• All products available in 1L, 5L, 20L, 60L, 199L, 1000L & Bulk

• Asian manufacturers – Including but not limited to Acura, Daihatsu, Honda, Hyundai, Infiniti, Isuzu, Kia, Lexus, Mazda, Mitsubishi, Nissan, Subaru, Suzuki, Toyota

• BMW Group Inc. BMW, MINI & Rolls Royce

• General Motors Inc. Buick, Cadillac, Chevrolet, GMC (Opel, Vauxhall pre-2017)

• VWAG Inc. Audi, Bentley, Bugatti, Cupra, Lamborghini, MAN, Porsche, Seat, Skoda & Volkswagen

• Stellantis Inc. Peugeot Societe Anonyme (PSA Group) & Fiat Chrysler Automobiles (FCA)
PSA Group Inc. Peugeot, Citroen, DS Automobiles, Opel & Vauxhall
FCA Inc. Abarth, Alfa Romeo, Chrysler, Dodge, Fiat, Jeep, Lancia, Maserati, Mopar, Ram & SRT
PSA bought Opel/ Vauxhall in 2017; any Opel/ Vauxhall vehicle manufactured before or after this point may need a PSA specification



FOR PRODUCT SPECIFICATION INFO & TECHNICAL
HELP **PLEASE CALL US ON +44 (0) 1484 475060**

COMPREHENSIVE TECHNICAL SUPPORT

At Millers Oils, we pride ourselves on delivering industry-leading technical support. Our expert team is available in-house, by phone, or via email to provide fast, reliable guidance, whether you need help choosing the right product or resolving a technical query. With Millers Oils, expert advice is always within reach.

VISION OIL ANALYSIS

PRECISION IN EVERY DROP

At Millers Oils, we believe in the power of proactive maintenance. Our Oil Sampling Kits are designed to provide garages with invaluable insights into the condition of their customers' engines. By regularly analysing oil samples, garages can detect potential issues before they escalate, ensuring optimal performance and longevity for every vehicle.

Each kit includes an easy-to-use sampling bottle and clear instructions, allowing for a straightforward collection process. The results are analysed by our expert team, providing detailed reports that highlight the health of the engine and recommend necessary actions. You can offer your customers peace of mind, knowing that their engines are protected and performing at their best.

WHICH OIL?

Millers Oils **WHICH OIL?** tool is your go-to solution when you need quick, accurate product recommendations. Just head to our website and enter a vehicle registration or select the make and model, and you'll instantly see all the suitable Millers Oils products for that vehicle.

WHICH OIL? takes the guesswork out of oil selection, so you can get it right, every time.

Try it now: www.millersoils.co.uk/which-oil



Millers Oils Head Office

Millers Oils Ltd
Brighouse, West Yorkshire
HD6 3DP, UK
T: +44 (0) 1484 713201
E: sales@millersoils.co.uk
E: international@millersoils.co.uk

www.millersoils.co.uk

Millers Oils Scotland

T: +44 (0) 1236 280107
E: glasgow@millersoils.co.uk

Technical Support

T: +44 (0) 1484 475060
E: technical@millersoils.co.uk

For H&S info or SDS, please visit our website

All products and information are reflective of the latest specifications at the time of going to print. The company reserves the right to change formulations and specifications without prior notice. Product images are shown for illustration purposes only.

REF /EE/SEP25

MADE IN BRITAIN



MillersOilsLtd